

According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

### SECTION I - IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name: ACF-50® Aerosol

Product Code: 10013

Telephone:

Use of Substance/Preparation: ACF-50® is an industrial product designed to prevent and treat corrosion on non-ferrous and ferrous

metals, protect electronic equipment, and to lubricate/penetrate mechanized parts.

Uses advised against: None unless specified elsewhere

Manufacturer: Lear Chemical Research Corp.

6182A Kestrel Road

Mississauga, ON Canada L5T 1Z2 905 564-0018 905-564-7077 (fax)

Email: info@learchem.com

www.learchem.com

National Contact: Lear Chemical Research Corp.

130 Cocoplum Drive Ste. 302

Marathon, FL 33050 1 800 256-2548

Emergency Telephone: 1 800 535-5053 (Canada & US)

1 352 323-3500 (International)

#### **SECTION 2 – HAZARDS IDENTIFICATION**

### General hazard statement

Substances present at a concentration below the minimum danger threshold.

Read Label and Use as Directed

May cause slight eye redness (Mixture Tested < Cat2B)

May cause skin dryness (Mixture Tested < Cat3)

May cause laxative effect if swallowed. Do not induce vomiting.

Using as directed Not Expected to be Aspiration Hazard (>24mm²/s @40°C)

## Classification of the substance or mixture

OSHA/GHS classification: Category 4, Flammable liquid

Category 3, Aerosol

Signal Word: WARNING
Labels: None Required

**Precautionary Statements - Response** 

**Hazard statements:** H227 – Flammable liquid

H229 – Pressurized container: May burst if heated

**Precautionary Statements – Prevention:** P102 – Keep away from children

P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition

ources.

P211 – Do not spray on open flame or other ignition source

P280 – Wash thoroughly after handling. Manufacturer specifies No special PPE. P370+P378 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide to extinguish.

**Precautionary Statements – Storage:** P403+P235 – Store in a well ventilated place. Keep cool.

P410 + P412 – Protect from extreme sunlight conditions. Do not expose to temperatures

exceeding 50°C / 122°F.



According to [US] OSHA (29 CFR 1910.1200) /GHS Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 29, 2021 / 0002

**Precautionary Statements – Disposal:** P251 – Do not pierce or burn, even after use

P501 – Dispose of contents/container in accordance with local, regional, national, and/or

international regulations

Other hazards which do not result in classification

None known.

Statement regarding ingredients of unknown toxicity

No data available.

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous substances present: MIXTURE

Substances present at a concentration below the minimum danger threshold:

NAME:	CAS	EC	Concentration % (weight)	Special Notes
Hydrotreated neutral oil	72623-85-9	276-736-3	70-85%	<0.1% DMSO w/w extract
Stoddard solvent	8052-41-3	232-489-3	5-9%	
Tetrafluoropropene 1,3,3,3 (propellant)	29118-24-9	810-135-4	1-3%	
Carbon Dioxide (propellant)	124-38-9	204-696-9	1-3%	
" ' '				

#### **SECTION 4 - FIRST AID MEASURES**

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms

persist, obtain medical attention.

**Skin Contact:** Remove excess by wiping, followed by washing with soap and water.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses. Continue rinsing. If eye irritation persists, get

medical advice/attention.

**Ingestion:** Unlikely route of exposure.

Most important symptoms/effects, acute and delayed

See Section 2 and Section 11.

Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary, treat symptomatically.

## **SECTION 5 - FIRE AND EXPLOSION HAZARD DATA**

**Extinguishing Media:** 

Suitable Extinguishing Media: CO<sub>2</sub>, Dry Chemical, Foam, Water Spray Un-Suitable Extinguishing Media: Water Jet which might spread flames

Special Hazards arising from the substance or mixture:

Fire hazard: NOT classified as a flammable aerosol

Explosion hazard: Product is not explosive. Pressurized container: May burst if heated

Reactivity: None to our knowledge

Advice for firefighters:

Firefighting instructions: Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Self

Contained Breathing Apparatus (SCBA) may be required if containers rupture under thermal

conditions.

Explosion hazard: Aerosol containers are an explosion risk when exposed to fire.



According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

#### **SECTION 6 - ACCIDENTAL RELEASE MEASURES**

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

#### Personal precautions, protective equipment and emergency procedures:

Eliminate sources of ignition. Stop leak if you can without risk. Keep unnecessary personnel away from spill slip hazard.

**Environmental precautions:** Prevent spill into waterways, sewers, basements or confined areas.

**Methods and material for containment and cleaning up:** Collect spillage and dispose of according to Section 13. Absorb spillages onto any suitable absorbent material. Scoop absorbed substance into closing containers. Wash clothing and equipment after handling.

## **SECTION 7 - HANDLING AND STORAGE**

#### Precautions for safe handling

Pressurized container; Do not pierce or burn, even after use. Use personal protective equipment as required.

## Conditions for safe storage, including any incompatibilities

Store in a well ventilated place. Keep container tightly closed. Store between the following temperatures: 40 and 120 Fahrenheit and out of direct sunlight and away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of reach of children.

#### Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated

### SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION:

CAS: 8052-41-3 Stoddard Solvent

CAS: 72623-85-9 (EC: 276-736-3)

Lubricating oils (petroleum), C20 -50, hydrotreated neutral oil-based, high-viscosity, if they contain > 3 % w/w DMSO extract

#### Appropriate engineering controls

Not normally required. Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, gas, etc.) below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment (PPE)

## Eye/face protection

Distribution, Workplace and Household Settings: No special protective equipment required

#### Skin protection

Distribution, Workplace and Household Settings: No special protective equipment required.

#### Respiratory protection

Distribution, Workplace and Household Settings: No special protective equipment required.



According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

#### Information on basic physical and chemical properties:

Appearance: Aerosol
Odor: Characteristic
Odor Threshold: Not established

pΗ 7

Melting / freezing point

Boiling point / boiling range

Flash Point

Evaporation Rate

Flammability (solid, gas)

Flammability Limit in Air

No data available

>100°C/ 212°F

79.4°C /175°F PMCC

Slower (Butyl acetate=1)

No data available

Solvent Component Only

Upper flammability limit UEL: 6.0 Lower flammability limit LEL: 1.0

Vapor pressure No data available
Vapor density Heavier than air (Air=1)

Specific Gravity 0.90

Water Solubility

Solubility in other solvents

Partition coefficient n-octanol/water:

Auto ignition temperature

Decomposition temperature

Kinematic viscosity

No data available

>210°C/410°F

No data available

25 cSt @ 40°C

Dynamic viscosity

No data available

VOC Content (%) 90gm/l

Other Information No other information available

## **SECTION 10 - STABILITY AND REACTIVITY**

**Reactivity:** None under normal use conditions.

**Chemical stability:** Stable under recommended storage conditions.

Possibility of hazardous reactions: None under normal use conditions.

**Conditions to avoid:** Heat and extreme sunlight conditions.

**Incompatible materials:** Oxidizing substances.

Hazardous decomposition products: May release COx, NOx, SOx, H2S, smoke and irritating vapors when heated to point of

decomposition. In the event of fire: see section 5.



According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

ACF-50 LIQUID HAS BEEN FULLY TESTED AS A COMPLETE MIXTURE FOR ORAL, EYE AND DERMAL TOXICITY. SUPPORTING DATA BASED ON THOSE EVALUATIONS. ACUTE TOXICITY IS AT OR ABOVE CATEGORY 4.

**Primary Routes of entry:** 

Acute Oral: LD50 > 5000 mg/kg Acute Eye: LC50 > 5000 mg/kg

Acute Dermal: LD50 > 5000 mg/kg Acute Vapor (estimated) LC50 > 5000 ppm -Rat-Aliphatic hydrocarbon LC50 > 5000 ppm -Rat-Petroleum distillate

Information on toxicological effects:

**Acute toxicity** Poses no Acute toxicity hazards.

Skin corrosion/irritation None found.

Serious eye damage/irritation Slight eye irritation (reversible)

Respiratory or skin sensitization None found.

Germ cell mutagenicity Based on available data, classification data are not met

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by

OSHA.

Reproductive Toxicity

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure Insignificant effects documented that do not justify STOT Classification. STOT-repeated exposure Insignificant effects documented that do not justify STOT Classification.

Aspiration hazard Not Expected to be Aspiration Hazard (>24mm2/s @40°C)

Additional information

**Tetrafluoropropene 1,3,3,3** Acute Vapor: Potential acute Inhalation – no know significant effects

Acute Eye: Possible eye burns, similar to frostbite Acute Dermal: Possible skin burns, similar to frostbite

## **SECTION 12- ECOLOGICAL INFORMATION**

**Toxicity** No data available.

Persistence and degradability Petroleum components are biodegradable in marine and soil environments.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects No data available.



According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

Disposal of the product: Disposal should be in accordance with local, state and federal regulations. Do not landfill.

Waste treatment methods: Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even

when empty. Non-empty aerosol: Dispose of waste in an approved waste disposal facility. Do NOT landfill.

Sewage disposal Treat as used oil.

Other disposal recommendations Disposal should be in accordance with local, state or national legislation.

## **SECTION 14 - TRANSPORT INFORMATION**

DOT Proper Shipping Name CONSUMER COMMODITY

Emergency Response Guide 126

Number

**TDG UN-No.** UN1950

Proper Shipping Name AEROSOLS

Hazard Class 2.2

**Description** UN1950, AEROSOLS, 2.2

<u>IATA</u> UN-No. UN1950

Proper Shipping Name AEROSOLS, NON-FLAMMABLE

Hazard Class 2.2

**Description** UN1950, AEROSOLS, NON-FLAMMABLE, 2.2

IMDG/IMO UN-No. UN1950

Proper Shipping Name AEROSOLS
Hazard Class 2.2
EmS-No. F-D, S-U

**Description** UN1950, AEROSOLS, 2.2

**RID / ADR UN-No.** UN1950

Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

**Description** UN1950 AEROSOLS, 2.2

**ADN UN-No.** UN1950

Proper Shipping Name AEROSOLS
Hazard Class 2.2
Classification code 5A

 Special Provisions
 190, 327, 344, 625

 Description
 UN1950 AEROSOLS, 2.2

Hazard Labels 2.2 Limited Quantity 1 L Ventilation VE04

**LABEL** 





Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:

Not applicable



According to [US] OSHA (29 CFR 1910.1200) /GHS

Version US V0001: April 29, 2021 / 0002

Replacing version dated / version: April 1, 2020 / 0001

## **SECTION 15 - REGULATORY INFORMATION**

This preparation was classified in compliance with GHS Directives and is not known to be classified on any EC lists or other source literature.

WHMIS Not Controlled
U.S. Federal Regulations: Not Regulated
TSCA Inventory (USA) Reported/Included
DSL (Canada) Reported /Included

SARA 302/355 Extreme Hazard: NO CERCLA: NO SARA 313 Toxic Chemical: NO

SARA 313 Toxic Chemical: NO
SARA 311/312 Hazardous: NO
Prop 65 No to All
ELINCS (Europe) No
ENCS (Japan) Yes
AICS (Australia) Yes

NFPA STD.704 Health -1 Flammability-0 Reactivity-1

NFPA STD.321: Combustible Liquid, Class III 3A

HMIS Health -1 Flammability-0 Reactivity-1

#### **SECTION 16 – OTHER INFORMATION**

V0002 - April 29, 2021 - Revisions

Section 4, 5, 8 & 12: information updated

Section 14: ORM-D Consumer commodity removed. Limited QTY Symbol added.

Section 11: Toxicological Information clarified

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Lear Chemical Research Corporation be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Lear Chemical Research Corporation has been advised of the possibility of such damages.