According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 15.1	Revision Date: 04/21/2020	SDS Number: 800001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019						
SECTION	SECTION 1. IDENTIFICATION								
Produ	uct name	: AeroShell Grea	: AeroShell Grease 7						
Produ	uct code	: 001A0065							
Manu	facturer or supplier's	s details							
Manufacturer/Supplier		: Shell Oil Prod PO Box 4427 Houston TX 7 USA							
SDS Request Customer Service		: (+1) 877-276-7 :	285						
	gency telephone nur	nber							
	nformation h Information	: 877-504-9351 : 877-242-7400							
	mmended use of the mmended use	: Synthetic grea	ctions on use se for aircraft., For further details consult the k on www.shell.com/aviation.						
Restri	ictions on use	ance with the r	ust be used, handled and applied in accord- equirements of the equipment manufacturer's tins and other documentation.						

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accord Skin sensitisation	dan :	
Specific target organ toxicity - repeated exposure	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 3
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 15.1	Revision Date: 04/21/2020	SDS Number: 800001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019				
		H373 May cause peated exposu ENVIRONMEN	se an allergic skin reaction. se damage to organs through prolonged or re- re. TAL HAZARDS: o aquatic life with long lasting effects.				
Precautionary statements :		P273 Avoid rel P280 Wear pro	 Prevention: P260 Do not breathe mist or vapours. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. 				
		P333 + P313 If attention.	ON SKIN: Wash with plenty of water and soap. skin irritation or rash occurs: Get medical advice/ cal advice/ attention if you feel unwell.				
		Storage: No precaution	ary phrases.				
		Disposal: P501 Dispose posal plant.	of contents/ container to an approved waste dis-				
Hazaı	rdous components which	ch must be listed on t	he label:				

Contains N-phenyl-1-naphthylamine.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

High-pressure injection under the skin may cause serious damage including local necrosis.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Synthetic oil grease thickened with clay, containing additives.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
N-phenyl-1-	N-1-	90-30-2	1 - 3
naphthylamine	naphthylaniline		
Phenothiazine	phenothiazine	92-84-2	0.1 - 0.9
Triazole derivative	1H- Benzotriazole- 1- methanamine, N,N-bis(2- ethylhexyl)-ar- methyl-	94270-86-7	0.1 - 0.9
disodium sebacate	disodium seba- cate	17265-14-4	1 - 3

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

TION 4. FIRST-AID MEASUR	RES	
If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Immediately flush skin with large amounts of water for at least 15 minutes, and follow b washing with soap and water if available. If redness, swellir pain and/or blisters occur, transport to the nearest medical facility for additional treatment.
		When using high pressure equipment, injection of product under the skin can occur. If high pressure injuries occur, the casualty should be sent immediately to a hospital. Do not w for symptoms to develop. Obtain medical attention even in the absence of apparent wounds.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	:	Skin sensitisation (allergic skin reaction) signs and symptor may include itching and/or a rash. Oil acne/folliculitis signs and symptoms may include format of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea. Local necrosis is evidenced by delayed onset of pain and tissue damage a few hours following injection.
Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
Indication of any immediate medical attention and special treatment needed	:	Treat symptomatically.
		High pressure injection injuries require prompt surgical intervention and possibly steroid therapy, to minimise tissue dara age and loss of function. Because entry wounds are small and do not reflect the serie ousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Los anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Promisurgical decompression, debridement and evacuation of for eign material should be performed under general anaesthetics.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

ics, and wide exploration is essential.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
Methods and materials for containment and cleaning up	:	Shovel into a suitable clearly marked container for disposal or reclamation in accordance with local regulations.
Additional advice	:	For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Use local exhaust ventilation if there is risk of inhalation of
	vapours, mists or aerosols.
	Use the information in this data sheet as input to a risk as-

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 15.1	Revision Date: 04/21/2020		DS Number: 0001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019
				circumstances to help determine appropri- ife handling, storage and disposal of this
Advice on safe handling		:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning mate- rials in order to prevent fires.	
Avoidance of contact		:	Strong oxidising a	igents.
Further information on stor- age stability		:	place.	htly closed and in a cool, well-ventilated led and closable containers.
			Store at ambient	emperature.
Packa	ging material	:	Suitable material: steel or high dens Unsuitable materi	
Contai	ner Advice	:		ainers should not be exposed to high tem- e of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Phenothiazine	92-84-2	TŴA	5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.
	Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or mainte- nance.
	Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard con- taminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
	Due to the product's semi-solid consistency, generation of mists and dusts is unlikely to occur.
Personal protective equipmen	t
Respiratory protection :	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material.
Hand protection Remarks :	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 15.1	Revision Date: 04/21/2020		Number: 001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019
		s 9 F 0 9 0 F 1 2 s r r t 2 s r r t t 3 0 0 0	sistance of glo plove supplier Personal hygi Gloves must o ploves, hands cation of a nor for continuous hrough time o t80 minutes w short-term/spl ecognize that nay not be av ime maybe ac and replacement good predict dependent on Glove thickness	equency and duration of contact, chemical re- ove material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. only be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- of more than 240 minutes with preference for > where suitable gloves can be identified. For ash protection we recommend the same but t suitable gloves offering this level of protection valable and in this case a lower breakthrough cceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not tor of glove resistance to a chemical as it is the exact composition of the glove material. ss should be typically greater than 0.35 mm the glove make and model.
Eye p	protection	: \	Vear full face	shield if splashes are likely to occur.
Skin a	and body protection			al resistant gloves/gauntlets and boots. Where ng, also wear an apron.
Prote	ctive measures			ective equipment (PPE) should meet recom- nal standards. Check with PPE suppliers.
Therr	mal hazards	: 1	Not applicable	9
Envir	ronmental exposure o	control	6	
	eral advice	: v r c r c t r r c	Take approprivant environm of the environm necessary, pro- charged to wa nunicipal or ir discharge to s Local guideling	ate measures to fulfill the requirements of rele- nental protection legislation. Avoid contamination ment by following advice given in Section 6. If event undissolved material from being dis- neste water. Waste water should be treated in a ndustrial waste water treatment plant before urface water. es on emission limits for volatile substances rved for the discharge of exhaust air containing
SECTION	9. PHYSICAL AND C	HEMIC	AL PROPER	TIES
Appe	arance	:	Semi-solid at	ambient temperature.
Colou	ır	:	light brown	
Odou	ır	:	Slight hydroc	arbon
Odou	r Threshold	:	Data not avai	lable
рН		:	Not applicabl	e

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Version 15.1	Revision Date: 04/21/2020		S Number: 0001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019	
Drop	ping point	:	>= 260 °C / >= 5 Method: Unspeci		
Meltir	ng / freezing point		Not applicable		
	Initial boiling point and boiling range		Data not available		
Flash	n point	:	Not applicable		
Evap	oration rate	:	Data not availabl	e	
Flam	mability (solid, gas)	:	Data not availabl	e	
	er explosion limit / upper nability limit	:	Typical 10 %(V)		
	er explosion limit / Lower nability limit	:	Typical 1 %(V)		
Vapo	ur pressure	:	< 0.5 Pa (20 °C /	68 °F)	
			estimated value(S)	
Relat	ive vapour density	:	> 1 estimated value(s)	
Relat	ive density	:	0.966 (15 °C / 59	°F)	
Dens	Density		966 kg/m3 (15.0 Method: Unspeci		
	bility(ies) /ater solubility	:	negligible		
So	olubility in other solvents	:	Data not availabl	e	
	ion coefficient: n- ol/water	:	log Pow: > 6 (based on inform	ation on similar products)	
Auto-	ignition temperature	:	> 320 °C / 608 °F	-	
Deco	mposition temperature	:	Data not availabl	e	
Visco Vi	osity scosity, dynamic	:	Data not availabl	e	
Vi	scosity, kinematic	:	Not applicable		
Explo	osive properties	: Not classified			
Oxidi	zing properties	:	Data not availabl	e	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Vers 15.1		Revision Date: 04/21/2020		S Number: 0001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019	
	Conduc	ctivity	:	This material is r	ot expected to be a static accumulator.	
SEC	TION 1	0. STABILITY AND RE	EAC	ΤΙVΙΤΥ		
	Reactivity		:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.		
	Chemical stability		:	Stable.		
	Possibility of hazardous reac- tions		:	Reacts with stror	ng oxidising agents.	
	Conditions to avoid : Extremes of temperature and direct sunlight.		perature and direct sunlight.			
	Incomp	atible materials	:	: Strong oxidising agents.		
Hazardous decomposition : products		No decompositio	n if stored and applied as directed.			

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	 Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise,
	the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:	
Acute oral toxicity	 LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	 LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Expected to be a skin sensitizer.

Components:

N-phenyl-1-naphthylamine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Phenothiazine:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Triazole derivative:

Remarks: May cause an allergic skin reaction in sensitive individuals.

Remarks: Classified Skin Sensitiser Category 1B.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

1

STOT - repeated exposure

Product:

Remarks: May cause damage to organs or organ systems through prolonged or repeated exposure.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used grease may contain harmful impurities that have accumulated during use. The concentration of such harmful impurities will depend on use and they may present risks to health and the environment on disposal., ALL used grease should be handled with caution and skin contact avoided as far as possible.

Remarks: High pressure injection of product into the skin may lead to local necrosis if the product is not surgically removed.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
	product required to prepare aqueous test extract).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

ersion 5.1	Revision Date: 04/21/2020		S Number: 001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019	
Ecoto	oxicity				
<mark>Produ</mark> Toxici ty)	u <u>ct:</u> ity to fish (Acute toxici-		Remarks: LL/EL/I Harmful	L50 10-100 mg/l	
	ity to daphnia and other ic invertebrates (Acute y)		Remarks: LL/EL/I Harmful	L50 10-100 mg/l	
Toxic icity)	ity to algae (Acute tox-		Remarks: LL/EL/I Harmful	L50 10-100 mg/l	
Toxici icity)	ity to fish (Chronic tox-	:	Remarks: Data no	ot available	
	ity to daphnia and other ic invertebrates (Chron- icity)		Remarks: Data no	ot available	
	ity to microorganisms e toxicity)	:	Remarks: Data no	ot available	
Com	oonents:				
-	enyl-1-naphthylamine: ctor (Acute aquatic tox-	:	1		
	ole derivative: ctor (Acute aquatic tox-	:	: 1		
Persi	stence and degradabil	ity			
<u>Prodi</u> Biode	u <u>ct:</u> gradability		Major constituent	dily biodegradable. s are inherently biodegradable, but contains may persist in the environment.	
Bioad	cumulative potential				
<u>Produ</u> Bioac	u <u>ct:</u> cumulation		Remarks: Contair cumulate.	ns components with the potential to bioac-	
Mobil	lity in soil				
<u>Produ</u> Mobili		:	: Remarks: Semi-solid under most environmental conditions.		
			12 / 17		

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 15.1	Revision Date: 04/21/2020	SDS Number: 800001016180	Print Date: 04/22/2020 Date of last issue: 12/09/2019		
		lf it enters soil, mobile.	it will adsorb to soil particles and will not be		
		Remarks: Floa	ts on water.		
Other	adverse effects				
<u>Produ</u>	<u>ct:</u>				
	Additional ecological infor- : mation		Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential. Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.		
		Poorly soluble Causes physic	mixture. al fouling of aquatic organisms.		
SECTION 1	13. DISPOSAL CONSI	DERATIONS			
Dispo	sal methods				
•	from residues	It is the respon toxicity and phy determine the ods in complian	ycle if possible. sibility of the waste generator to determine the ysical properties of the material generated to proper waste classification and disposal meth- nce with applicable regulations. into the environment, in drains or in water		
		ground water, o	should not be allowed to contaminate soil or or be disposed of into the environment. r used product is dangerous waste.		

Contaminated packaging	:	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks	:	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:
15.1	04/21/2020	800001016180

Print Date: 04/22/2020 Date of last issue: 12/09/2019

IATA-DGR

Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Phosphoric acid	7664-38-2	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA., The components with RQs are given for information.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Water Act

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Phosphoric acid	7664-38-2	0.0425 %
aniline	62-53-3	0.0029 %

US State Regulations

Pennsylvania Right To Know

Phosphoric acid

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

California Prop. 65

WARNING: This product can expose you to chemicals including aniline, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

The components of this product are reported in the following inventories:

EINECS	:	Not established.
TSCA	:	All components listed.
DSL	:	All components listed.

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 1, 1, 0 tivity)

Full text of other abbreviations

ACGIH ACGIH / TWA Abbreviations and Acronyms	:	USA. ACGIH Threshold Limit Values (TLV) 8-hour, time-weighted average The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicolo- gy Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version 15.1	Revision Date: 04/21/2020	SDS Number: 800001016180	
		Inventory EWC = Europe GHS = Globali Labelling of Ch IARC = Interna IATA = Interna IC50 = Inhibito IL50 = Inhibito IMDG = Interna INV = Chinese IP346 = Institu determination of KECI = Korea LC50 = Lethal LD50 = Lethal LL/EL/IL = Leth LL50 = Lethal IL/EL/IL = Leth DOE_HPV = Oc PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Reg Chemicals RID = Regulati gerous Goods SKIN_DES = S STEL = Short f TRA = Targete TSCA = US To TWA = Time-W	ve Loading fifty rese Existing and New Chemical Substances ean Waste Code y Harmonised System of Classification and remicals ational Agency for Research on Cancer tional Air Transport Association ry Concentration fifty y Level fifty ational Maritime Dangerous Goods Chemicals Inventory the of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. hal Loading/Effective Loading/Inhibitory loading Loading fifty ernational Convention for the Prevention of Ships No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume ent, Bioaccumulative and Toxic opine Inventory of Chemicals and Chemical cted No Effect Concentration istration Evaluation And Authorisation Of ons Relating to International Carriage of Dan-
A vert	tical bar () in the left ı	margin indicates an am	nendment from the previous version.

Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).
Revision Date	:	04/21/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

AeroShell Grease 7

Version	Revision Date:	SDS Number:	Print Date: 04/22/2020
15.1	04/21/2020	800001016180	Date of last issue: 12/09/2019

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN