

Safety Data Sheet

SECTION I - IDENTIFICATION

PRODUCT NAME: Avion® Glass Cleaner
PRODUCT CODE: AVL-AGC
PRODUCT USE: Glass cleaner
COMPANY NAME: Aviation Laboratories
COMPANY ADDRESS: 5401 Mitchell Rd #71-6
COMPANY PHONE: 713-864-6677
EMERGENCY PHONE: 800-255-3924

SECTION II - HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Aerosol Category 2
Liquefied Gas

Eye Irritant: Category 2b

HAZARD STATEMENT(S): **WARNING:** Flammable Aerosol. Contains gas under pressure. May explode if heated. Causes eye irritation.

This product contains the following percentage of chemicals of unknown toxicity: 0%

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container; Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.



SYMBOL:

HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III - COMPOSITIONAL INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
3-Butoxyethanol	111-76-2	3-7%
Ethyl Alcohol	64-17-5	3-7%
Propane-n-Butane	68476-86-8	3-7%

SECTION IV - FIRST AID MEASURES

EYES: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

INGESTION: Do not induce vomiting unless directed by medical authority. Immediately rinse mouth with water. Seek immediate medical attention.

INHALATION: Move to fresh air. If breathing is difficult, administer oxygen. If not breathing, administer artificial respiration or, if any sign of loss of consciousness, seek immediate medical attention.

SKIN: Immediately wash with soap and water for 15 minutes. Seek medical attention if irritation develops.

ACUTE HEALTH HAZARDS: Eyes: redness, itching, blurred vision

CHRONIC HEALTH HAZARDS: None known

NOTE TO PHYSICIAN: There is no specific treatment regimen. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION V - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, alcohol foam, and water spray or fog.

UNSUITABLE EXTINGUISHING MEDIA: N/A

SPECIAL FIRE-FIGHTING PROCEDURES: Wear NIOSH approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed equipment.

Safety Data Sheet

USUAL FIRE AND EXPLOSION HAZARDS: Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

HAZARDOUS COMBUSTION PRODUCTS: None Known

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

SPILL: Use non-combustible material like vermiculite, sand or earth or spill sweep to clean. Dispose in accordance with local, state and federal laws. Small releases may be wiped up with wiping material.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations

RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII – HANDLING AND STORAGE

HANDLING AND STORAGE: Pressurized container. Do not pierce or burn, ever after use. Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50°C/122°F.

OTHER PRECAUTIONS: None

INCOMPATIBILITY: Strong oxidizers, Alkalics, Acids

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
2-Ethoxyethanol	50 ppm	30 ppm
Ethyl Alcohol	1000 ppm	1000 ppm
Propene/n-Butane	1000 ppm	1000 ppm

ENGINEERING CONTROLS / VENTILATION: Ambient ventilation suitable. forced ventilation should not be required

RESPIRATORY PROTECTION: Not required with normal use.

PERSONAL PROTECTIVE EQUIPMENT: Safety Glasses

ADDITIONAL MEASURES: Follow normal hygiene practices

EXPOSURE GUIDELINES: N/A

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: White Foam

ODOR: Pleasant soapy

ODOR THRESHOLD: N/A

BOILING POINT: > 212°F (100°C)

FREEZING POINT: ND

FLAMMABILITY: Flammable Aerosol

FLASH POINT: N/A

AUTOIGNITION TEMPERATURE: ND

LOWER FLAMMABILITY LIMIT: ND

UPPER FLAMMABILITY LIMIT: ND

VAPOR PRESSURE (mm Hg): 17.5 @ 77 °F (25°C)

VAPOR DENSITY (AIR=1): 1

EVAPORATION RATE: ~0.5 (Slow)

SPECIFIC GRAVITY (H₂O=1): 0.99

pH: 9.5

SOLIDS (%): ND

SOLUBILITY IN WATER: 100%

PARTITION COEFFICIENT: n-OCYLANOL/WATER (K_{OW}): N/A

VOLATILITY (INCLUDING WATER (%): 100%

VOLATILE ORGANIC COMPOUNDS (VOC): 8.3 %

DIELECTRIC STRENGTH (Volts): N/A

DECOMPOSITION TEMPERATURE: ND

VISCOSITY: ND

Safety Data Sheet

SECTION X – STABILITY AND REACTIVITY DATA

REACTIVITY: It is exposed to strong oxidizers, previous explosion hazard.

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Temperatures greater than 122 F may cause boiling.

INCOMPATIBILITY: Strong oxidizers, Alkalies, Acids

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: None Known

POSSIBLE HAZARDOUS REACTIONS: None Known

SECTION XI – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: 2-Butoxyethanol (111-76-2) LD₅₀ (Oral, Rat) 470 mg/kg; Inhalation rat LC₅₀ (Inhalation, Rat) 4hr) 751 ppm; LD₅₀ (Dermal, Rabbit) 220 mg/kg; investigated as a mutagen, teratogen, reproductive effector. Reproductive Toxicity: This shows teratogenic effects in laboratory animals.

ROUTES OF ENTRY: Eyes, Ingestion, Inhalation, Skin

EYES: May cause irritation.

INGESTION: Not a likely route of exposure under normal product handling conditions.

INHALATION: Cause dizziness if inhaled directly or exposed to excessive amounts.

SKIN: May cause dryness with prolonged or repeated contact

MEDICAL CONDITION AGGRAVATED: None known

ACUTE HEALTH HAZARDS: Eyes: redness, tearing, blurred vision

CHRONIC HEALTH HAZARDS: None known

CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

SECTION XII – ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Ethyl Alcohol (64-17-5) LC₅₀ (Fish, 96hr) 12,900-15,300 mg/l; LC₅₀ (Pincton, 24hr) 17,500 mg/l; EC₀₁ (Bacteria, 5-20 min) 34,900 mg/L. 2-Butoxy Ethanol (111-76-2) Toxic to aquatic life only in high concentrations, lethal concentrations not available.

BIODEGRADABILITY: This product is biodegradable.

BIOACCUMULATION: This product is not expected to bioaccumulate.

SOIL MOBILITY: This product is mobile in soil.

OTHER ECOLOGICAL HAZARDS: None Known

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations.

RCRA STATUS: Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV – TRANSPORTATION INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltc. Qty.

HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN 1950

PACKAGING GROUP: NA

AIR SHIPMENT

PROPER SHIPPING NAME: Aerosols, Ltc. Qty.

HAZARD CLASS/DIVISION: 2.1

UN/NA NUMBER: UN 1950

SHIPPING BY WATER:

VESSEL (IMBUDDG)

PROPER SHIPPING NAME: Aerosols, Ltc. Qty.

HAZARD CLASS/DIVISION: 2.1

Safety Data Sheet

UNNA NUMBER: UN 1950
ENVIRONMENTAL HAZARDOUS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TECA STATUS: All Chemicals are listed or exempt.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT): None

SARA 311/332 HAZARD CATEGORIES: 2-Butoxyethanol (111-76-2) Acute health hazard, Chronic health hazard. Ethyl Alcohol (65-17-3) Acute Health, Chronic Health, Fire

SARA 313 REPORTABLE INGREDIENTS: 2-Butoxyethanol (111-76-2) 1%

CLEAN WATER ACT: None

STATE REGULATIONS: This product contains no known chemicals regulated by California's Proposition 65, New Jersey's Worker and Community Right to Know Act 2-BUTOXY ETHANOL - (111-76-2), Massachusetts' Right to Know Law: 2-BUTOXY ETHANOL - 111-76-2 Pennsylvania's Right to Know Act: 2-BUTOXY ETHANOL - 111-76-2;

INTERNATIONAL REGULATIONS: 2-Butoxyethanol (111-76-2) France (FNECS), Japan (FMCS), Argentina (ATCS), MEXICO (Canada), DSCL (B&C), MSDS, Korea (KCL), Philippines (PHCCS), New Zealand (NZIOC), China (IECN).

NFPA HEALTH:	1	HMS HEALTH:	1
NFPA FLAMMABILITY:	1	HMS FLAMMABILITY:	1
NFPA REACTIVITY:	0	HMS REACTIVITY:	1
NFPA OTHER:	None	HMS PROTECTION:	A

SECTION XVI - ADDITIONAL INFORMATION

PREPARATION BY: Jonathan Jarvis

DATE PREPARED: 12/23/2015

REVISION DATE: 11/11/2014

N/A - Not Applicable; ND - Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or implied, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.