

Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

SECTION 1. IDENTIFICATION

Product name : Eastman(TM) Turbo Oil 2380

Product code : P3435901

Manufacturer or supplier's details

Company name of supplier

Solutia Inc.

A Subsidiary of Eastman Chemical Company

Address : 575 Marvville Centre Drive

Saint Louis MO 63141

Emergency telephone : CHEMTREC: +1-800-424-9300, +1-703-527-3887 CCN7321

Recommended use of the chemical and restrictions on use

Recommended use

: Lubricant

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
N-Phenylbenzenamine reaction	68411-46-1	1 - 5
products with 2,4,4-trimethylpentene		
Tricresyl phosphate	1330-78-5	< 3
N-phenyl-1-naphthylenamine	90-30-2	< 2.5

SECTION 4. FIRST AID MEASURES

If inhaled

: Move to fresh air.

If breathing is difficult, give oxygen. Consult a physician if necessary.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If symptoms persist, call a physician.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

1.1 05/13/2019 150000097793 Date of first issue: 09/06/2016 PRD SDSUS / Z8 / 0260 NCD / 0039352895 / 0001033509

for at least 15 minutes.

Get medical attention if symptoms occur.

If swallowed : Rinse mouth.

Call a physician or poison control center immediately.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

Prolonged skin contact may defat the skin and produce der-

matitis.

Contact with hot product will cause thermal burns.

Inhalation of thermal decomposition products may lead to

adverse effects including pulmonary edema.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Water spray Foam

Dry powder

Carbon dioxide (CO2)

Unsuitable extinguishing

media

delayed

Do not use a solid water stream as it may scatter and spread

fire.

Hazardous combustion prod- :

ucts

Carbon monoxide

Carbon dioxide (CO2) Oxides of phosphorus

Further information : In case of fire and/or explosion do not breathe fumes.

Use water spray to cool unopened containers.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Special protective equipment:

for fire-fighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ventilate the area.

Material can create slippery conditions. Use personal protective equipment.

Local authorities should be advised if significant spillages

cannot be contained.

Environmental precautions : Avoid release to the environment.

Methods and materials for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

1.1 05/13/2019 150000097793 Date of first issue: 09/06/2016 PRD SDSUS / Z8 / 0260 NCD / 0039352895 / 0001033509

national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Handle in accordance with good industrial hygiene and safety

practice.

Do not get in eyes.

Do not get on skin or clothing. Wash thoroughly after handling. Do not breathe vapors or spray mist.

Use only in area provided with appropriate exhaust ventilation. Drain or remove substance from equipment prior to break-in

or maintenance.

Wear appropriate personal protective equipment.

Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation (typically 10 air changes per hour)

should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Recommended gloves:

Material : Nitrile rubber

Remarks : Wear suitable gloves. Contact the glove manufacturer for

specific advice on glove selection and breakthrough times for

your use conditions.

Eye protection : Wear safety glasses with side shields (or goggles).

Protective measures : Ensure that eye flushing systems and safety showers are

located close to the working place.



Eastman(TM) Turbo Oil 2380

46254279

PRD

Version Revision 1.1 05/13/20

Revision Date: SDS Number: 05/13/2019 150000097793

150000097793 SDSUS / Z8 / 0260 Date of last issue: -

Date of first issue: 09/06/2016 NCD / 0039352895 / 0001033509

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color : amber

Odor : No data available

Melting point/freezing point : -65 °F / -54 °C

Flash point : 475 °F / 246 °C

Method: Cleveland open cup

Relative density : 0.98 (60.1 °F / 15.6 °C)

Density : 980 kg/m3 (60.1 °F / 15.6 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, kinematic

: 23 - 30 mm2/s (104 °F / 40 °C)

4.9 - 5.4 mm2/s (212 °F / 100 °C)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Conditions to avoid : Keep away from sources of ignition - No smoking.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

Emits acrid smoke and fumes when heated to decomposition.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg Assessment: Not classified



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

Acute inhalation toxicity : Acute toxicity estimate: Exposure time: 4 h

Assessment: Not classified

Remarks: Read-across from a similar material

Acute dermal toxicity : Acute toxicity estimate: Assessment: Not classified

Remarks: Read-across from a similar material

Components:

Tricresyl phosphate:

Acute oral toxicity

: LD50 Oral (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 10,000 mg/kg

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity

: LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

N-phenyl-1-naphthylenamine:

Acute oral toxicity

: LD50 Oral (Rat): 1,250 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit Exposure time : 24 h

Assessment : Not classified as hazardous.

Result : slight

Components:

Tricresyl phosphate:

Species : Rabbit Exposure time : 24 h

Assessment : Not classified as hazardous. Result : Non-irritating to the skin.

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

Assessment : Not classified

Result : slight



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

N-phenyl-1-naphthylenamine:

Species : Rabbit Assessment : Not classified

Result : none

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit

Result : No eye irritation
Assessment : Not classified

Components:

Tricresyl phosphate:

Species : Rabbit Assessment : Not classified

N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene:

Species : Rabbit Result : slight

Assessment : Not classified

N-phenyl-1-naphthylenamine:

Species : Rabbit Result : slight

Assessment : Not classified

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Skin sensitization

Method : Human Repeat Insult Patch Test

Result : Not a skin sensitizer.

Components:

Tricresyl phosphate:

Test Type : Skin Sensitization Assessment : Not classified

N-phenyl-1-naphthylenamine:

Assessment : Skin sensitization Result : sensitizing



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

Germ cell mutagenicity

Not classified based on available information.

Product:

Genotoxicity in vitro : Test Type: Mutagenicity

Metabolic activation: Read-across from a similar material Result: Based on available data, the classification criteria are

not met.

Genotoxicity in vivo : Test Type: Mutagenicity

Result: Based on available data, the classification criteria are

not met.

Remarks: Read-across from a similar material

Components:

Tricresyl phosphate:

Genotoxicity in vitro

: Test Type: various

Result: Based on available data, the classification criteria are

not met.

Remarks: Not classified

Genotoxicity in vivo : Test Type: various

Result: Based on available data, the classification criteria are

not met.

Carcinogenicity

Not classified based on available information.

Product:

Species : Mouse
Application Route : Dermal
Remarks : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Tricresyl phosphate:

Reproductive toxicity - Assessment

May damage the unborn child. Suspected of damaging fertility.

STOT-single exposure

Not classified based on available information.



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

1.1 05/13/2019 150000097793 Date of first issue: 09/06/2016 PRD SDSUS / Z8 / 0260 NCD / 0039352895 / 0001033509

Components:

Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

STOT-repeated exposure

Not classified based on available information.

Components:

Tricresyl phosphate:

Assessment : Based on available data, the classification criteria are not met.

N-phenyl-1-naphthylenamine:

Assessment : Not classified

Repeated dose toxicity

Components:

Tricresyl phosphate:

Species : Rat

: 300 mg/l

Aspiration toxicity

Not classified based on available information.

Components:

Tricresyl phosphate:

Not classified

Information on likely routes of exposure

Product:

Inhalation : Remarks: None known.

Skin contact : Remarks: None known.

Eye contact : Remarks: None known.

Ingestion : Remarks: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Components:

Tricresyl phosphate:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.6 mg/l



Eastman(TM) Turbo Oil 2380

46254279

PRD

Version 1.1 Revision Date: 05/13/2019

SDS Number: 150000097793 SDSUS / Z8 / 0260

Date of last issue: -

Date of first issue: 09/06/2016 NCD / 0039352895 / 0001033509

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.146 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox- :

icity)

: 1

N-phenyl-1-naphthylenamine:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.44 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.30 - 0.68 mg/l

Exposure time: 48 h

Toxicity to microorganisms : EC50 (Bacteria): Exposure time: 3 h

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Tricresyl phosphate:

Bioaccumulation

Bioconcentration factor (BCF): 2,000

Remarks: No information available.

Partition coefficient: n-

octanol/water

Pow: 860,000 log Pow: 5.93

Mobility in soil

Components:

Tricresyl phosphate:

Distribution among environmental compartments

: log Koc: 4.31

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards

: No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

DSL

: All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information



Eastman(TM) Turbo Oil 2380

46254279


Version 1.1 Revision Date: 05/13/2019

SDS Number: 150000097793 SDSUS / Z8 / 0260

Date of last issue: -

Date of first issue: 09/06/2016 NCD / 0039352895 / 0001033509

NFPA 704:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation. and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG -United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative



Eastman(TM) Turbo Oil 2380

46254279

Version Revision Date: SDS Number: Date of last issue: -

 1.1
 05/13/2019
 150000097793
 Date of first issue: 09/06/2016

 PRD
 SDSUS / Z8 / 0260
 NCD / 0039352895 / 0001033509

Revision Date : 05/13/2019

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8