

#### **Safety Data Sheet**

LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

SDS No.: 153471

V001.4

Page 1 of 9

Date of issue: 27.04.2020

respiratory tract irritation

#### Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

**Intended use:** Anaerobic Adhesive

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379 **Emergency information:** 

#### Section 2. Hazards identification

#### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

#### **GHS Classification:**

**Hazard Class Hazard Category** Target organ

Skin irritation Category 2 Serious eye irritation Category 2A Skin sensitizer Category 1 Target Organ Systemic Toxicant -Category 3

Single exposure

Acute hazards to the aquatic Category 3

environment

Chronic hazards to the aquatic

environment

Category 3

Hazard pictogram:

Signal word: Warning

## LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

**Hazard statement(s):** H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statement(s):** 

**Prevention:** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, clothing, eye and face protection.

**Response:** P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

#### **Dangerous Goods information:**

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:

**HAZARDOUS** 

#### Section 3. Composition / information on ingredients

General chemical description: Mixture

Type of preparation: Anaerobic Sealant

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
2-Hydroxyethyl methacrylate	868-77-9	10- 30 %
α, α-dimethylbenzyl hydroperoxide	80-15-9	< 3 %
methacrylic acid	79-41-4	< 1%
non hazardous ingredients~		60- 100 %

#### Section 4. First aid measures

Page 3 of 9

SDS No.: 153471 V001.4

# LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

8 · · · · ·

**Ingestion:** Do not induce vomiting.

Have victim rinse mouth thoroughly with water.

Seek medical advice.

Skin: Immediately flush skin with plenty of water (using soap, if available).

Seek medical advice.

**Eyes:** Immediately flush eyes with plenty of water for at least 15 minutes.

Seek medical advice.

**Inhalation:** Move to fresh air.

Keep warm and in a quiet place.

Seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically.

#### Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Decomposition products in case of

fire:

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon monoxide. Carbon dioxide. Oxides of nitrogen.

Special protective equipment for

fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

Wear full protective clothing.

Additional fire fighting advice: In case of fire, keep containers cool with water spray.

#### Section 6. Accidental release measures

**Personal precautions:** Ensure adequate ventilation.

Avoid skin and eye contact.

Wear appropriate personal protective equipment.

**Environmental precautions:** Do not empty into drains / surface water / ground water.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

#### Section 7. Handling and storage

**Precautions for safe handling:** Use only in well-ventilated areas.

Avoid skin and eye contact.

Wear suitable protective clothing, safety glasses and gloves. Prolonged or repeated skin contact should be avoided

Conditions for safe storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Page 4 of 9

SDS No.: 153471 V001.4

### LOCTITE 609 RETAINING COMPOUND known as

609 Retaining Compound L/Austr

#### Section 8. Exposure controls / personal protection

National exposure standards:

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below exposure

limits.

**Eye protection:** Wear protective glasses.

**Skin protection:** Wear suitable protective clothing.

Avoid skin-contact.

Recommended gloves include butyl rubber and neoprene.

Please note that in practice the working life of chemical resistant gloves may be

considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

**Respiratory protection:** If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

#### Section 9. Physical and chemical properties

Specific gravity: 1.1

**Boiling point:** > 150 °C (> 302 °F) **Flash point:** > 93.3 °C (> 199.94 °F)

(Tagliabue closed cup)

Vapor pressure: < 6 mbar

(; 26 °C (78.8 °F)) **Density:**1.1 g/cm3 **VOC content:**< 3.00 %

(2010/75/EC)

#### Section 10. Stability and reactivity

**Stability:** Stable under recommended storage conditions.

**Conditions to avoid:** Keep away from heat, ignition sources and incompatible materials.

**Incompatible materials:** Reacts with strong oxidants.

Hazardous decomposition

products:

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon monoxide. Carbon dioxide. Oxides of nitrogen.

#### Section 11. Toxicological information

Page 5 of 9

SDS No.: 153471 V001.4

# LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

**Health Effects:** 

**Ingestion:** Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Skin:** Causes skin irritation.

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

May cause skin sensitization.

Eyes: Causes serious eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Inhalation:** This product is irritating to the respiratory system.

Vapors are irritating to the nose, throat and respiratory tract resulting in dryness of throat and tightness in chest. Other symptoms of overexposure include headache, nausea, narcosis, fatigue

and loss of appetite.

#### Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
2-Hydroxyethyl	LD50	> 5,000 mg/kg	oral		rat	not specified
methacrylate	LD50	> 5,000 mg/kg			rabbit	not specified
868-77-9			dermal			
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LD50	530 - 1,060			rat	other guideline:
80-15-9	Acute	mg/kg	dermal			Expert judgement
	toxicity	1,100 mg/kg	dermal			
	estimate					
	(ATE)					
methacrylic acid	LD50	1,320 mg/kg	oral		rat	OECD Guideline 401 (Acute
79-41-4	LC50	> 3.6 mg/l	inhalation	4 h	rat	Oral Toxicity)
	LD50	500 - 1,000	dermal		rabbit	OECD Guideline 403 (Acute
		mg/kg				Inhalation Toxicity)
						Dermal Toxicity Screening

#### Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	corrosive		rabbit	Draize Test
methacrylic acid 79-41-4	corrosive	3 min	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

#### Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
2-Hydroxyethyl methacrylate 868-77-9	irritating		rabbit	Draize Test
methacrylic acid 79-41-4	corrosive		rabbit	Draize Test

#### Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
methacrylic acid 79-41-4	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

# LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

#### Germ cell mutagenicity:

Hazardous components	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
2-Hydroxyethyl	negative	bacterial reverse	with and without		OECD Guideline 471
methacrylate	positive	mutation assay (e.g	with and without		(Bacterial Reverse Mutation
868-77-9	negative	Ames test)	with and without		Assay)
	negative	in vitro mammalian	with and without		OECD Guideline 473 (In vitro
		chromosome			Mammalian Chromosome
		aberration test			Aberration Test)
		mammalian cell			OECD Guideline 476 (In vitro
		gene mutation assay			Mammalian Cell Gene
		bacterial reverse			Mutation Test)
		mutation assay (e.g			OECD Guideline 472 (Genetic
		Ames test)			Toxicology: Escherichia coli,
					Reverse Mutation Assay)
2-Hydroxyethyl	negative	oral: gavage		rat	OECD Guideline 474
methacrylate					(Mammalian Erythrocyte
868-77-9					Micronucleus Test)
α, α-dimethylbenzyl	positive	bacterial reverse	without		OECD Guideline 471
hydroperoxide		mutation assay (e.g			(Bacterial Reverse Mutation
80-15-9		Ames test)			Assay)
α, α-dimethylbenzyl	negative	dermal		mouse	not specified
hydroperoxide					
80-15-9					
methacrylic acid	negative	bacterial reverse	with and without		OECD Guideline 471
79-41-4		mutation assay (e.g			(Bacterial Reverse Mutation
		Ames test)			Assay)
methacrylic acid	negative	inhalation		mouse	OECD Guideline 478 (Genetic
79-41-4					Toxicology: Rodent Dominant
	1	1			Lethal Test)

#### Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
2-Hydroxyethyl methacrylate 868-77-9	NOAEL=100 mg/kg	oral: gavage	once daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified

#### Section 12. Ecological information

# LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

**General ecological information:** Do not empty into drains / surface water / ground water.

**Ecotoxicity:** Harmful to aquatic life with long lasting effects.

**Toxicity:** 

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
2-Hydroxyethyl methacrylate 868-77-9	LC50	> 100 mg/l	Fish	96 h	Oryzias latipes	OECD Guideline 203 (Fish, Acute Toxicity Test)
2-Hydroxyethyl methacrylate 868-77-9	EC50	380 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
2-Hydroxyethyl methacrylate 868-77-9	EC50	836 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
2-Hydroxyethyl methacrylate 868-77-9	NOEC	400 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
2-Hydroxyethyl methacrylate 868-77-9	EC0	> 3,000 mg/l	Bacteria	16 h	Pseudomonas fluorescens	other guideline:
α, α-dimethylbenzyl hydroperoxide 80-15-9	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	18 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	ErC50	3.1 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min		not specified
methacrylic acid 79-41-4	LC50	85 mg/l	Fish	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	EPA OTS 797.1400 (Fish Acute Toxicity Test)
methacrylic acid 79-41-4	EC50	> 130 mg/l	Daphnia	48 h	Daphnia magna	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
methacrylic acid 79-41-4	NOEC	8.2 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
methacrylic acid 79-41-4	EC50	45 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
methacrylic acid 79-41-4	EC10	100 mg/l	Bacteria	17 h		not specified

#### Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

# LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

2-Hydroxyethyl methacrylate 868-77-9	readily biodegradable	aerobic	92 - 100 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
α, α-dimethylbenzyl hydroperoxide 80-15-9		no data	0 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
methacrylic acid 79-41-4	inherently biodegradable	aerobic	100 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
methacrylic acid 79-41-4	readily biodegradable	aerobic	86 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

#### Bioaccumulative potential / Mobility in soil:

Hazardous components CAS-No.	LogPow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
2-Hydroxyethyl methacrylate 868-77-9	0.42				25 °C	OECD Guideline 107 (Partition Coefficient (n- octanol / water), Shake Flask Method)
α, α-dimethylbenzyl hydroperoxide 80-15-9		9.1		calculation		OECD Guideline 305 (Bioconcentration: Flow- through Fish Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	2.16					not specified
methacrylic acid 79-41-4	0.93				22 °C	OECD Guideline 107 (Partition Coefficient (noctanol / water), Shake Flask Method)

#### Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

#### **Section 14. Transport information**

#### Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

**Marine transport IMDG:** 

Not dangerous goods

Air transport IATA:

Not dangerous goods

#### `Section 15. Regulatory information

SUSMP Poisons Schedule

None

Page 9 of 9

SDS No.: 153471 V001.4

### LOCTITE 609 RETAINING COMPOUND known as 609 Retaining Compound L/Austr

#### Section 16. Other information

**Abbreviations/acronyms:** ADGC - Australian Dangerous Goods Code

GHS: Globally Harmonized System CAS: Chemical Abstracts Service

LD 50: Lethal Dose 50%

OECD: Organization for Economic Cooperation and Development

LC 50: Lethal Concentration 50%

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

STEL - Short term exposure limit TWA - Time weighted average

**Reason for issue:** Reviewed SDS. Reissued with new date. involved chapters: 1,2,6,15,16

**Date of previous issue:** 08.05.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.