

## WC-393

AFSNA703

Section 1: Identification	
Product Identifier	
Product Name: WC-393	
Product Code: AFSNA703	{
Relevant identified uses o	f the substance or mixture and uses advised against
Recommended use: Ha	azard Communication & Compliance
Details of the supplier of	he safety data sheet
Manufacturer	TBM, INC.
	8506 Herrington Court
	Pevely, MO 63070
	United States
	fsptbm.com
Telephone (General)	800-825-1128
Fax	314-721-4519
Emergency telephone nur	nber
Manufacturer	800-424-9300 – CHEMTREC

### Section 2: Hazard Identification

United States (US) According to 29 CFR 1910 (OSHA HCS) Classification of the substance or mixture Acute Toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319 Label elements Pictogram



Signal Word	Warning		
Hazard stateme	ents		
H302	Harmful if swallowed		
H315	Causes skin irritation		
H319	Causes serious eye irritation		
Precautionary s	tatements		
P264	Wash skin thoroughly after handling.		
P270	Do not eat, drink, or smoke when using this product		
P280	Wear protective gloves/eye protection/face protection.		
P301 & P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.		
P302 & P352	IF ON SKIN: wash with plenty of soap and water.		
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy		
	to do. Continue rinsing.		
P330	Rinse mouth		
P332 & P313	if skin irritation occurs: Get medical advice/attention.		
P337 & P313	if eye irritation persists: Get medical advice/attention.		
VH-SDS-WC393	Revision A 06/22/2018		



## WC-393

AFSNA703

P362Take off contaminated clothing and wash before reuseP501Dispose of contents/container to an approved waste disposal plant.Other hazardsNone



### NFPA

Mixtures					
<u>Component</u>		Percentage	CAS Number	Sara Title III Section 313	
Polypropylen	e glycol monobutyl ether	>90%	9003-13-8	NA	
Molybdenum	Disulfide	<10%	1317-33-5	NA	
SARA Title III	Sections 302 and 304	This product is not listed at present levels that require reporting as a hazardous substance in 40 CFR Part 355			
	Section 313	This product does not contain toxic chemicals at levels that require reporting under 40 CFR Part 372			
Section 4: Fir	st-Aid Measures				
Description of	first aid measures				
Inhalation	Short-term harmful health effects are not expected from vapor generated at ambient temperature. Overexposure to vapor, aerosol, or mist generated at high temperatures may cause respiratory tract irritation, dizziness, and nausea. Remove from exposure area to fresh air immediately. If breathing has stopped, have a qualified person perform artificial respiration. Keep the victim warm and at rest. Seek medical attention immediately.				
Skin	Irritation is unlikely after brief contact. Prolonged contact may produce redness, itching, a burning sensation, drying and flaking of the skin. Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water until no evident of chemical remains (approximately 15 to 20 minutes). Apply skin moisturizer. Seek medical attention immediately.				
Eye	May cause stinging and pain with excess tearing and mild redness. If wearing contact lenses, remove them and wash eyes immediately with large amounts of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains (approximately 15 to 20 minutes. Seek medical attention immediately.				
Ingestion	Treat symptomatically. If victim is fully conscious, give two glasses of water. Do not induce vomiting. If vomiting occurs, keep head lower than hips to prevent aspiration. If signs or symptoms of toxicity are present, seek medical attention immediately.				



## WC-393

## AFSNA703

### Most important systems and effects, both acute and delayed

Skin contact may aggravate an existing dermatitis, Refer to Section 11 – Toxicological Information

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Low toxicity by swallowing. Any material aspirated during vomiting may cause lung injury. Therefore, emesis should not be induced mechanically or pharmacologically. If it is considered necessary to evacuate the stomach contents, this should be done by means least likely to cause aspiration (e.g. gastric lavage after endotracheal intubation).

Carbon Dioxide Dry Chemical Water spray All-purpose type foam	
Water spray All-purpose type foam	
nixture	
This material may produce a floating fire hazard in extreme fire conditi Avoid breathing hazardous vapors. Combustion may produce the follow products:	
I	

Hazardous Combustion Products Carbon Monoxide and/or Carbon Dioxide

### **Advice for firefighters**

Move container from fire area, if it can be done without risk. Do not scatter spilled material with high-pressure water streams or direct a solid stream of water or foam into hot, burning pools. This may cause frothing and increase fire intensity. Dike fire-control water for later disposal.

#### **Section 6: Accidental Release Measures**

### Personal precautions, protective equipment and emergency procedures

Personal Precautions: Wear self-contained breathing apparatus (pressure-demand MSHA/NIOSH Approved or equivalent) or any supplied-air respirator that has a full face piece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode. Wear full protective gear.

**Environmental precautions** Do not let product enter drains

### Methods and material for containment and cleaning up

Containment/Clean-up Measures This product has a very low solubility in water and will float on the surface. Small spills can be flushed with large amounts of water. Avoid drainage of large spills to sewers or to natural waters. Stop leak, if it can be done without risk. Take up with sand or other absorbent material and transfer liquids and solid diking material to separate, suitable containers for recovery or disposal. Isolate



## WC-393

# AFSNA703

area during cleanup. Dispose of in accordance with local, state, and federal laws and regulations.

### Section 7: Handling and Storage

Precautions for safe handling

Handling Avoid contact with eyes, skin, and clothing. Avoid breathing vapor, aerosol, and mist. Do not swallow. Keep container closed when not in use. Use with adequate ventilation. Wash hands thoroughly after handling.

#### Conditions for safe storage, including and incompatibilities

Storage Keep container tightly closed in a dry and well-ventilated place.

#### Section 8: Exposure Controls/Personal Protection

**Control parameters** Contains no substances with occupational exposure limit values

#### **Exposure controls**

Engineering Measures/Controls PROCESS HAZARD – Sudden release of hot organic chemical vapors or mists from process equipment operating at elevated temperature and pressure, or sudden ingress of air into hot equipment under a vacuum, may result in ignitions without the presence of sources. Published 'auto ignition' or 'ignition' temperature values cannot be treated as safe operating temperatures in chemical processes without analysis of the actual process conditions. Any use of this product in elevated-temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions.

#### Personal Protective Equipment

Pictograms	
Respiratory	None required for low temperatures. If used at high temperatures, wear a MSHA/NIOSH approved (or equivalent) air-purifying respirator.

- Eye/Face Wear splash proof chemically resistant goggles
- Hands Wear nitrile or neoprene rubber gloves to protect against permeation. Gloves should be removed and replaced immediately if there is any sign of degradation or chemical breakthrough.
- Skin/Body Use chemically resistant apron or other impervious clothing to avoid prolonged or repeated skin contact.

General Industrial Hygiene Considerations Always practice good hygiene by washing hands thoroughly after handling material.



**AFSNA703** 

# WC-393

Environmental Exposure Controls

Do not let product enter drains.

Section 9: Physical and Chemical Properties

Information on Physical and C	Chemical Properties		
Material Description			
Appearance	Grayish Liquid	Pour Point (freezing point)	<-70 F (<-56 C)
Odor	Mild	Specific gravity (Water=1)	1.04
Evaporation Rate	NIL	pH-Value	ND
Boiling Point	>392 F (>200 C)	Vapor Pressure	<0.001 Kpa
	(decomposes)		<0.01 mmHG
Flash Point			
Cleveland Open cup	<430 F (<221 C)	Vapor Density (Air = 1)	>1.0
Pensky-Martens closed Cup	<305 F (<152 C)		
Ignition Temperature	Refer to Section 8,	Viscosity	ND
(auto-ignition temperature)	Exposure Controls		
		Water Solubility	<0.1%

Section 10: Stability and Reactivity				
Reactivity	No data availa	ble		
Chemical Stal	oility	Stable under normal temperatures and pressures.		
<b>Possibility of Hazardous Reactions</b> Will not occur under normal temperatures and pressures.				
Conditions to	avoid	No data availabel		
Incompatible materials Normally unreactive, however, avoid strong bases at high temperatures, strong strong oxidizing agents and materials reactive with hydroxyl compounds.				
Hazardous decomposition products Thermal decomposition may release toxic and/or hazardous gases.				

Section 11: Toxicological Information				
Information on Toxicological Effects				
Component Name	CAS	Data		
Polypropylene glycol				
monobutyl ether	9003-13-8			
Molybdenum Disulfide				
	1317-33-5			



## WC-393

## AFSNA703

						,05
Acute oral to	xicity	LD50 rat	9100 mg/kg	LD50 Rabbit	23900 mg/kg	]
Acute dermal	toxicity	LD50 rabbit	20 gm/kg			]
Irritant effect	: on skin	Rabbit-open skin mild	500 mg			1
Target Organs		Eyes, Lungs, Skin				-
Route(s) of en	try/exposi	ure Material may ente	er through eye c	ontact, inhalation	, and skin contact.	
Potential Heal						
Inhalation	No data a	available				
Skin	EPISKIN I	Human Skin model Test re	esult: Irritating t	o skin.		
Eye	No data a	available				
Ingestion	No data a	available				
Section 12: E	cological Ir	nformation				1
Toxicity						
-	y to fish	static test LC50-D	anio rerio (zebra	n fish) — 104 mg/l -	96h (OECD Test Guidel	ine 203)
	y to algae			-	lenastrum capricornut	
mg/l - 72h (OECD Test Guideline 201)						
Persistence an	-	-				
	a available					
Bio accumulat	•					
	a available	2				
Mobility in Soi						
	a available	2				
Other Averse						
No dat	a available	2				
Section 13: D	•					]
Waste treatme						
Product waste		ncinerate in a furnace or ocal requirements and re	•	se of in accordanc	e with applicable Fede	ral, State
Packaging was		Empty containers should acility.	be recycled or di	isposed of throug	n an approved waste m	anageme
Note:	a	Disposal methods identifi assessment must be comp options under the rules, r	pleted to determ	nine the proper an	d permissible waste ma	



AFSNA703

## WC-393

Section 14: Transport Information		
NON-BULK, Proper Shipping Name:	Not regulated	
BUK, Proper Shipping Name:	Not regulated	

DOT: None Identified

IMDG: None identified.

IATA: None identified.

**Section 15: Regulatory Information** 

### Safety, health, and environmental regulations/legislation specific for the substance or mixture

### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: this material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established be SARA Title III, Section 313.

### SARA 311/312 Hazards

CAS 9003-13-8 Acute Health Hazard CAS 1317-33-5 No SARA Hazards

## Massachusetts Right To Know Components

CAS 9003-13-8 not subject to

CAS 1317-33-5 Revision Date 1993-04-24

#### Pennsylvania Right To Know

CAS 9003-13-8

CAS 1317-33-5 Revision Date 1993-04-24

#### **New Jersey Right To Know**

CAS 9003-13-8

CAS 1317-33-5 Revision Date 1993-04-24

### California Prop. 65 Components

This product does not contain any chemicals known to the State of California to cause cancer, Birth defects, or any other reproductive harm.

### Section 16 – Other Information

Last Revision Date October 30, 2012

Preparation Date October 5, 2015

Disclaimer/Statement of Liability



# WC-393

## AFSNA703

The information contained herein is believed to be true and accurate, but is not guaranteed or warranted, either expressed or implied, whether originating with the company or not. Customers are advised to make their own determination as to the suitability for their particular application and to confirm that information is current.

**Key to abbreviations** NDA = No Data Available