

ZEP 65 AERO_12CS

Version 2.0

Revision Date 10/01/2018

Print Date 07/21/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP 65 AERO_12CS
---------------	---	------------------

Material number : 3701C

Manufacturer or supplier's details

Company	:	Zep Inc.
Address	:	11627 - 178 Street Edmonton, Alberta T5S 1N6 Canada
Telephone	:	404-352-1680

Emergency telephone numbers For SDS Information : Compliance Services 1-877-428-9937 For a Medical Emergency : 877 541 2016

For SDS Information		Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		

Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	clear, light yellow
Odour	characteristic

GHS Classification

Gases under pressure Skin irritation Serious eye damage Skin sensitisation	: Liquefied gas : Category 2 : Category 1 : Sub-category 1B
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

ZEP 65 AERO_12CS

sion 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
sion 2.0 Precautionary statements	Revision Date 10/01/2018 : Prevention: P261 Avoid breathing dust/ fume/ P264 Wash skin thoroughly after P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ eye Response: P302 + P352 IF ON SKIN: Wash P305 + P351 + P338 + P310 IF II water for several minutes. Removand easy to do. Continue rinsing. CENTER/doctor. P333 + P313 If skin irritation or raadvice/ attention. P362 + P364 Take off contamination reuse. Storage: P410 + P403 Protect from sunlight	' gas/ mist/ vapours/ spray. handling. g should not be allowed out o e protection/ face protection. with plenty of water. N EYES: Rinse cautiously wit e contact lenses, if present Immediately call a POISON ash occurs: Get medical ted clothing and wash it befor
	place. P412 Do not expose to temperatu Disposal: P501 Dispose of contents/contair	-

Zepinc

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
butane	106-97-8	>= 1 - < 5
2-(2-butoxyethoxy)ethanol	112-34-5	>= 1 - < 5
Alcohols, C9-11, ethoxylated	68439-46-3	>= 1 - < 5
d-limonene	5989-27-5	>= 1 - < 5
Benzenesulfonic acid, C10-16-alkyl derivs.	68584-22-5	>= 1 - < 5
propane	74-98-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 Do not leave the victim unattended. Get medical attention immediately. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
lf inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If skin irritation persists, call a physician. Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse.



ZEP 65 AERO_12CS

Version 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
	Remove contaminated clothing an	nd shoes.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a Rinse immediately with plenty of v for at least 15 minutes.	specialist.
If swallowed	: Keep respiratory tract clear. Never give anything by mouth to a If symptoms persist, call a physici. DO NOT induce vomiting unless of physician or poison control center	an. lirected to do so by a
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, Effects are dependent on exposur contact time). Causes serious eye damage. Causes skin irritation. Review section 2 of SDS to see a 	irritation, burns, and pain. e (dose, concentration,
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

: Use personal protective equipment.



ZEP 65 AERO_12CS

Version 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Evacuate personnel to safe areas.	
Environmental precautions	: Prevent further leakage or spillage Prevent product from entering drai If the product contaminates rivers respective authorities.	ns.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawc Sweep up or vacuum up spillage a container for disposal.	lust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Always replace cap after use. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components CAS-No. Value type Control Basis (Form of parameters / exposure) Permissible concentration 106-97-8 TWA 1,000 ppm butane CA AB OEL TWA 600 ppm CA BC OEL STEL 750 ppm CA BC OEL TWAEV 800 ppm CA QC OEL 1,900 mg/m3

Components with workplace control parameters



ZEP 65 AERO_12CS

sion 2.0	Revision Da	ate 10/01/2018	Print Da	te 07/21/2023
2-(2-butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
propane	74-98-6	TŴA	1,000 ppm	CA AB OB
		TWA	1,000 ppm	CA BC OF
		TWAEV	1,000 ppm 1,800 mg/m3	CA QC O
		TWA	1,000 ppm	CA ON O
		TWA	1,000 ppm	ACGIH
Engineering measures	: effective ver	itilation in all proc	essing areas	
Personal protective equipm	nent			
Respiratory protection	ventilation is	s provided or expo	ess adequate local osure assessment d ommended exposure	emonstrates
Hand protection Material	: Protective g	loves		
Remarks		ty for a specific w ducers of the prot	orkplace should be ective gloves.	discussed
Eye protection	Access to c	wash stations or	e eyes must be avail showers, or eye wa	
Skin and body protection		y protection acc	ording to the amo erous substance at	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear, light yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: No data available
Melting point/freezing point	: No data available
Boiling point	: not determined
Flash point	:
	Not applicable
Evaporation rate	: not determined

ZEP 65 AERO_12CS



Version 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
Flammability (solid, gas)	: The product is not flammable.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: not determined	
Relative vapour density	: No data available	
Density	: 1.004 g/cm3	
Solubility(ies)		
Water solubility	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: <20 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.	
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon oxides	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects	
Aggravated Medical Condition	: None known.
Symptoms of Overexposure	: Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time).



Version 2.0 Revision Date 10/01/2018 Print Date 07/21/202 Carcinogenicity: IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. AcGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. Acute toxicity Praduct: Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method Components: Acute oral toxicity Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Stin corrosion/irritation Praduct: Remarks: Initiating to skin. Strine severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation. Strine call mutagenicity Ko data available Carcinogenicity Ko data available Reproductive toxicity Ko data available <th>ZEP 65 AERO_12CS</th> <th></th> <th>Lepine</th>	ZEP 65 AERO_12CS		Lepine
IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. Accele toxicity Product: Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method Components: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Demal Rabbit: > 5,000 mg/kg Remarks: Irritation Product: Product: Remarks: Irritation to skin. Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation. Serious eye damage/eye irritation Product: Remarks: Causes sensitisation. Serious causes sensitisation. Broductive toxicity We data available Carcinogenicity We data available Star coll available Serious sensitisation Broductive toxicity We data available	Version 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. Accele toxicity Product: Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method Components: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Demal Rabbit: > 5,000 mg/kg Remarks: Irritation Product: Product: Remarks: Irritation to skin. Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation. Serious eye damage/eye irritation Product: Remarks: Causes sensitisation. Serious causes sensitisation. Broductive toxicity We data available Carcinogenicity We data available Star coll available Serious sensitisation Broductive toxicity We data available	Carcinogenicity:		
equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. Acute toxicity Product: Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method Components: Alcohols, C9-11, ethoxylated: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg d-limonene: Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation Product: Remarks: Irritating to skin. Serious eye damage/eye irritation Product: Remarks: Causes sensitisation. Sorro cell mutagenicity void data available Carcinogenicity void data available Reproductive toxicity stata available Strone statistable Statistable<		equal to 0.1% is identified as probable	
Product: Acute oral toxicity Acute toxicity estimate : > 5,000 mg/kg Acute oral toxicity Acute oral toxicity Acute oral toxicity Acute oral toxicity ID50 Oral Rat: 1,400 mg/kg Acute oral toxicity ID50 Oral Rat: 4,400 mg/kg Acute oral toxicity ID50 Oral Rat: 4,400 mg/kg Acute oral toxicity ID50 Oral Rat: 4,400 mg/kg Acute oral toxicity ID50 Demal Rabbit: > 5,000 mg/kg Acute orrosion/irritation Product: Remarks: Irritating to skin. Beroduct: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation. Product: Acute oral available Product: Acute available Product: Beroductive toxicity Productive toxicity Acute available Productive toxicity Beroductive toxicity Productive toxicity Beroductive toxicity Productive toxicity <td>ACGIH</td> <td>equal to 0.1% is identified as a carcir</td> <td></td>	ACGIH	equal to 0.1% is identified as a carcir	
Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method Components: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation Product: Remarks: Irritating to skin. Product: Remarks: Severe eye irritation Acutes sensitisation Product: Remarks: Causes sensitisation Product: Remarks: Causes sensitisation. Serro cell mutagenicity ko data available Acute available Acute oral available Acute available Beproductive toxicity ko data available Acute sepsere Beproductive toxicity ko data available Acute sepsere	Acute toxicity		
Method: Calculation method Components: Acohols, C9-11, ethoxylated: Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg d-limonene: . Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation Product: Remarks: Irritating to skin. Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Remarks: Causes sensitisation. Product: Remarks: Remarks: Causes sensitisation. Product: Remarks: Remarks: Causes sensitisation. Serro cell mutagenicity Voidata available Carcinogenicity Voidata available Carcinogenicity Voidata available Reproductive toxicity Voidata available Stort - single exposure Stort - single exposure	Product:		
Aicools, C9-11, ethoxylated: LD50 Oral Rat: 1,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute dermal toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation : D50 Dermal Rabbit: > 5,000 mg/kg Product: Remarks: Irritating to skin. Serious eye damage/eye irritation : Product: Remarks: Severe eye irritation : Product: Remarks: Causes sensitisation. : Severe eye irritation. Product: : Remarks: Causes sensitisation. Remarks: Causes sensitisation. : Severe eye irritation. Serious eye damage/eye irritation : Severe eye irritation. Remarks: Causes sensitisation. : Severe eye irritation. Serious eye damage/eye irritation. : Severe eye irritation. Remarks: Causes sensitisation. : Severe eye irritation. Serious eye damage/eye irritation. : Severe eye irritation. Serious eye damage/eye irritation. : Severe eye irritation. Severe eye irritation. : Severe eye irritation. Severe eye irritation. : Severe eye irritation. Severe eye irritatirritation. : Severe eye irritation.	Acute oral toxicity		וg/kg
Acute oral toxicity : LD50 Oral Rat: 1,400 mg/kg d-limonene: : LD50 Oral Rat: 4,400 mg/kg Acute oral toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation : LD50 Dermal Rabbit: > 5,000 mg/kg Product: : Remarks: Irritating to skin. Serious eye damage/eye irritation :	<u>Components:</u>		
d-limonene: Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute dermal toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation Product: Remarks: Irritating to skin. Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation Product: Remarks: Causes sensitisation. Serious eye damage/eye Acute eye Remarks: Causes sensitisation. Serious eye available Carcinogenicity Acute eye Acute eye Acute eye Acute eye Remarks: Causes sensitisation. Serious eye Acute eye <			
Acute oral toxicity : LD50 Oral Rat: 4,400 mg/kg Acute dermal toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg Skin corrosion/irritation Product: Product: Remarks: Irritating to skin. Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation Product: Remarks: Causes sensitisation. Serro cell mutagenicity ko data available Sarcinogenicity ko data available Reproductive toxicity ko data available StDT - single exposure	Acute oral toxicity	: LD50 Oral Rat: 1,400 mg/kg	
Acute dermal toxicity : LD50 Dermal Rabbit: > 5,000 mg/kg kin corrosion/irritation Product: Remarks: Irritating to skin. Product: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation Product: Remarks: Causes sensitisation. Remarks: Causes sensitisation. Remarks: Causes sensitisation. Remore cll mutagenicity lo data available Reproductive toxicity lo data available Reproductive toxicity I o data available I o data available I o			
Skin corrosion/irritation Product: Remarks: Irritating to skin. Forduct: Remarks: Severe eye irritation Product: Remarks: Severe eye irritation Product: Remarks: Causes sensitisation Carcinogenicity Ato data available	Acute oral toxicity	: LD50 Oral Rat: 4,400 mg/kg	
Product: Remarks: Irritating to skin. Berious eye damage/eye irritation Product: Remarks: Severe eye irritation Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Berm cell mutagenicity Ro data available Carcinogenicity Ro data available Carcinogenicity Ro data available Carcinogenicity Ro data available Carcinogenicity Ro data available Carcinogenicity Ro data available Carcinogenicity Ro data available	Acute dermal toxicity	: LD50 Dermal Rabbit: > 5,000 mg/	kg
Remarks: Irritating to skin. Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Serm cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available SECT - single exposure	Skin corrosion/irritation		
Serious eye damage/eye irritation Product: Remarks: Severe eye irritation Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Serm cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Product:		
Product: Remarks: Severe eye irritation Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Remarks: Irritating to skin.		
Remarks: Severe eye irritation Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Serious eye damage/eye irritatio	n	
Respiratory or skin sensitisation Product: Remarks: Causes sensitisation. Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Product:		
Product: Remarks: Causes sensitisation. Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Remarks: Severe eye irritation		
Remarks: Causes sensitisation. Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Respiratory or skin sensitisation		
Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available GTOT - single exposure	Product:		
No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Remarks: Causes sensitisation	1.	
No data available Carcinogenicity No data available Reproductive toxicity No data available STOT - single exposure	Germ cell mutagenicity		
No data available Reproductive toxicity No data available STOT - single exposure			
Reproductive toxicity No data available STOT - single exposure	Carcinogenicity		
No data available STOT - single exposure	lo data available		
STOT - single exposure	Reproductive toxicity		
	lo data available		
lo data available	STOT - single exposure		
	No data available		



ZEP 65 AERO_12CS

Version 2.0

Revision Date 10/01/2018

Print Date 07/21/2023

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available
Partition coefficient: n-	: Pow: 2.89
octanol/water 2-(2-butoxyethoxy)ethanol:	
Partition coefficient: n-	: Pow: 1
octanol/water	
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Additional ecological information	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.



ZEP 65 AERO_12CS

Version 2.0	Revision Date 10/01/2018	Print Date 07/21/2023
Contaminated packaging	: Empty remaining contents.	

Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLThis product contains one or more components that are listed on the
Canadian NDSL. All other components are on the Canadian DSL.TSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)



Version 2.0

Zepinc

Print Date 07/21/2023

SECTION 16. OTHER INFORMATION

WHMIS - GHS Lab	el Information:
Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	 Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statements	
	 Prevention: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN: Wash w ith plenty of w ater. IF IN EYES: Rinse cautiously w ith w ater for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and w ash it before reuse. Storage: Protect fromsunlight. Store in a w ell-ventilated place. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	2.0
Revision Date:	10/01/2018
Print Date:	07/21/2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.